

AWS D10.18M/D10.18:2018
An American National Standard

Guide for Welding Ferritic/Austenitic Duplex Stainless Steel Piping and Tubing



AWS D10.18M/D10.18:2018
An American National Standard

Approved by the
American National Standards Institute
November 14, 2017

Guide for Welding
Ferritic/Austenitic Duplex
Stainless Steel Piping and Tubing

2nd Edition

Supersedes D10.18M/D10.18:2008

Prepared by the
American Welding Society (AWS) D10 Committee on Piping and Tubing

Under the Direction of the
AWS Technical Activities Committee

Approved by the
AWS Board of Directors

Abstract

This standard presents a detailed discussion of the metallurgical and welding characteristics and weldability of duplex stainless steel used in piping and tubing. A number of tables and graphs are presented in order to illustrate the text.



ISBN: 978-0-87171-930-0
© 2018 by American Welding Society
All rights reserved
Printed in the United States of America

Photocopy Rights. No portion of this standard may be reproduced, stored in a retrieval system, or transmitted in any form, including mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright owner.

Authorization to photocopy items for internal, personal, or educational classroom use only or the internal, personal, or educational classroom use only of specific clients is granted by the American Welding Society provided that the appropriate fee is paid to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, tel: (978) 750-8400; Internet: <www.copyright.com>.

Statement on the Use of American Welding Society Standards

All standards (codes, specifications, recommended practices, methods, classifications, and guides) of the American Welding Society (AWS) are voluntary consensus standards that have been developed in accordance with the rules of the American National Standards Institute (ANSI). When AWS American National Standards are either incorporated in, or made part of, documents that are included in federal or state laws and regulations, or the regulations of other governmental bodies, their provisions carry the full legal authority of the statute. In such cases, any changes in those AWS standards must be approved by the governmental body having statutory jurisdiction before they can become a part of those laws and regulations. In all cases, these standards carry the full legal authority of the contract or other document that invokes the AWS standards. Where this contractual relationship exists, changes in or deviations from requirements of an AWS standard must be by agreement between the contracting parties.

AWS American National Standards are developed through a consensus standards development process that brings together volunteers representing varied viewpoints and interests to achieve consensus. While AWS administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its standards.

AWS disclaims liability for any injury to persons or to property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this standard. AWS also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this standard available, AWS is neither undertaking to render professional or other services for or on behalf of any person or entity, nor is AWS undertaking to perform any duty owed by any person or entity to someone else. Anyone using these documents should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. It is assumed that the use of this standard and its provisions is entrusted to appropriately qualified and competent personnel.

This standard may be superseded by new editions. This standard may also be corrected through publication of amendments or errata, or supplemented by publication of addenda. Information on the latest editions of AWS standards including amendments, errata, and addenda is posted on the AWS web page (www.aws.org). Users should ensure that they have the latest edition, amendments, errata, and addenda.

Publication of this standard does not authorize infringement of any patent or trade name. Users of this standard accept any and all liabilities for infringement of any patent or trade name items. AWS disclaims liability for the infringement of any patent or product trade name resulting from the use of this standard.

AWS does not monitor, police, or enforce compliance with this standard, nor does it have the power to do so.

Official interpretations of any of the technical requirements of this standard may only be obtained by sending a request, in writing, to the appropriate technical committee. Such requests should be addressed to the American Welding Society, Attention: Managing Director, Standards Development, 8669 NW 36 St, # 130, Miami, FL 33166 (see Annex C). With regard to technical inquiries made concerning AWS standards, oral opinions on AWS standards may be rendered. These opinions are offered solely as a convenience to users of this standard, and they do not constitute professional advice. Such opinions represent only the personal opinions of the particular individuals giving them. These individuals do not speak on behalf of AWS, nor do these oral opinions constitute official or unofficial opinions or interpretations of AWS. In addition, oral opinions are informal and should not be used as a substitute for an official interpretation.

This standard is subject to revision at any time by the AWS D10 Committee on Piping and Tubing. It must be reviewed every five years, and if not revised, it must be either reaffirmed or withdrawn. Comments (recommendations, additions, or deletions) and any pertinent data that may be of use in improving this standard are required and should be addressed to AWS Headquarters. Such comments will receive careful consideration by the AWS D10 Committee on Piping and Tubing and the author of the comments will be informed of the Committee's response to the comments. Guests are invited to attend all meetings of the AWS D10 Committee on Piping and Tubing to express their comments verbally. Procedures for appeal of an adverse decision concerning all such comments are provided in the Rules of Operation of the Technical Activities Committee. A copy of these Rules can be obtained from the American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

This page is intentionally blank.

Personnel

AWS D10 Committee on Piping and Tubing

W.F. Newell, Jr. Chair	<i>W. F. Newell & Associates, Incorporated</i>
D. Ciarlariello, Vice Chair	<i>Analytic Stress</i>
E. P. Thurston, 2nd Vice Chair	<i>LG&E-KU Energy, LLC</i>
S. N. Borrero, Secretary	<i>American Welding Society</i>
T. Anderson	<i>ITW—Miller Electric Manufacturing Company</i>
W. A. Bruce	<i>DNV GL USA, Inc.</i>
S. J. Findlan	<i>Westinghouse Electric Company</i>
G. J. Frederick	<i>Electric Power Research Institute</i>
A. E. Gatto	<i>Fluor Enterprises, Incorporated</i>
M. P. Lang	<i>Fluor Enterprises, Incorporated</i>
G. G. Lewis	<i>Superheat FGH</i>
W. T. May	<i>Fluor Enterprises, Incorporated</i>
A. P. Mulroy	<i>voestalpine Böhler Welding</i>
D. Reis	<i>Applied Materials</i>
W. J. Sperko	<i>Sperko Engineering Services, Incorporated</i>
P. A. Tews	<i>Subsea 7</i>
D. J. Tillack	<i>The Nickel Institute</i>
A. Vanderlinden	<i>Consultant</i>

Advisors to the D10 Committee on Piping and Tubing

R. E. Avery	<i>The Nickel Institute</i>
C. J. Bloch	<i>Quality Hill Corporation</i>
D. Brown	<i>Arc Machines, Incorporated</i>
J. R. Champagne	<i>UA Local 716</i>
K. K. Coleman	<i>EPRI</i>
P. J. Dobson	<i>Saudi Arabian Bechtel Company—SABCO</i>
J. G. Emmerson	<i>Magnatech Limited Partnership</i>
A. L. Farland	<i>Brookhaven National Laboratory</i>
R. Gatlin	<i>Welding & Robotics Solutions</i>
B. K. Henon	<i>Magnatech LLC</i>
J. Hill	<i>Hill Technical Services Company</i>
B. B. MacDonald	<i>Consultant</i>
J. S. Pastorok	<i>Consultant</i>
W. L. Roth	<i>The Procter & Gamble Company</i>
J. R. Scott	<i>Consultant</i>
S. B. Seitz	<i>Shawkim Technologies, Incorporated</i>
R. G. Sovich	<i>Performance Review Institute</i>
J. Tidwell	<i>Fluor Enterprises, Incorporated</i>
S. N. Zhaldak	<i>Severstal</i>

AWS D10Y Subcommittee on Duplex Pipe Welding

D. J. Reis, Chair	<i>Applied Materials</i>
S. N. Borrero, Secretary	<i>American Welding Society</i>
S. J. Findlan	<i>Westinghouse Electric Company</i>
B. K. Henon	<i>Magnatech LLC</i>
M. J. Kelly	<i>Parsons</i>
T. C. Mueller	<i>TransCanada Pipelines Limited</i>
W. F. Newell, Jr.	<i>W. F. Newell & Associates, Incorporated</i>

Advisors to the D10Y Subcommittee on Duplex Pipe Welding

R. E. Avery	<i>Nickel Institute</i>
K. K. Coleman	<i>EPRI</i>
J. R. Scott	<i>Consultant</i>

Foreword

This foreword is not part of this standard but is included for informational purposes only.

This guide is intended to provide information which may be used to avoid, or at least minimize, difficulties in welding duplex stainless steel piping and tubing. The term *pipe* used in the text also includes tube.

This second edition of D10.18M/D10.18 continues as a guide for welding ferritic/austenitic duplex stainless steel piping and tubing. The duplex stainless steels are finding increased use in industry and the information contained in this guide will be most useful.

Tables listing specific chemical composition ranges for base metal and weld metal that fall under the jurisdiction of other codes or documents have been omitted. Where helpful, however, comparison data is presented.

NOTE: The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights.

By publication of this standard, no position is taken with respect to the validity of any such claim(s) or of any patent rights in connection therewith. If a patent holder has filed a statement of willingness to grant a license under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, then details may be obtained from the standards developer.

A vertical line in the margin or underlined text in clauses, tables, or figures indicates an editorial or technical change from the 2008 edition.

Comments and suggestions for the improvement of this standard are welcome. They should be sent to the Secretary, AWS D10 Committee on Piping and Tubing, American Welding Society, 8669 NW 36 St, # 130, Miami, FL 33166.

This page is intentionally blank.

Table of Contents

	Page No.
<i>Personnel</i>	v
<i>Foreword</i>	vii
<i>List of Tables</i>	xi
<i>List of Figures</i>	xi
1. General Requirements	1
1.1 Scope	1
1.2 Units of Measure	1
1.3 Safety	1
2. Normative References	2
3. Terms and Definitions	2
4. Material Compositions and Specifications	2
4.1 Material Compositions	2
4.2 Specifications	2
5. Basic Metallurgy	4
5.1 Solidification and Ferrite/Austenite Phases	4
5.2 Precipitating Phases	6
6. Corrosion	7
7. Joint Design and Fit-Up	7
7.1 General	7
7.2 Open Root Joints	8
7.3 Consumable Inserts	9
7.4 Autogenous Orbital GTAW	9
7.5 Orbital GTAW with Filler Metal Addition	9
8. Filler Metals	10
9. Welding Processes	11
9.1 General	11
9.2 Single Pass Welding Small Diameter Tubing	11
9.3 Root Pass Welding Heavier Walls	11
9.4 Fill Welding	12
10. Welding Procedures	12
10.1 General	12
10.2 Cleaning Before Welding	12
10.3 Preheat	12
10.4 Interpass Temperature	12
10.5 Heat Input	13
10.6 Purging (Backing) Gas	13
10.7 Postweld Heat Treatment	13
11. Weldment Quality Verification	14
11.1 Inspection Method	14
11.2 Visual Inspection	14

11.3	Hydrostatic Testing.....	14
11.4	Liquid Penetrant Methods	14
11.5	Radiography	14
11.6	Ultrasonic Methods	14
11.7	Acoustic Emission Testing (AET) Methods.....	14
11.8	Mass Spectrometer Testing Method	15
11.9	Ferrite Measurement.....	15
11.10	Charpy Impact Test.....	15
11.11	<u>Corrosion Tests</u>	15
Annex A (Informative)—Guidelines for Weld Corrosion Testing and Welding Procedure Controls for Corrosion Considerations		17
Annex B (Informative)— <u>Informative References</u>		19
Annex C (Informative)—Requesting an Official Interpretation on an AWS Standard		21
List of AWS Documents on Piping and Tubing		23

List of Tables

Table	Page No.
1 Chemical Composition by Weight Percent of Wrought Lean Duplex Stainless Steels.....	2
2 Chemical Composition by Weight Percent of Standard Duplex Stainless Steels.....	3
3 Chemical Composition by Weight Percent of Super Duplex Stainless Steels.....	3
4 Chemical Composition by Weight Percent of Cast Duplex Stainless Steels.....	4
5 Welding Filler Metals for Duplex Stainless Steels	10

List of Figures

Figure	Page No.
1 Alloy 2205 Plate Showing Elongated Microstructure	5
2 Isothermal Precipitation Diagram for 2205 Duplex Stainless Steel, Annealed at 1050°C [1920°F]	7
3 Typical Joint Designs Used with Open Root Designs	8
4 Modified “J” Joint Design	9
<u>A.1</u> Heat Input and Corrosion Resistance	18

This page is intentionally blank.

Guide for Welding Ferritic/Austenitic Duplex Stainless Steel Piping and Tubing

1. General Requirements

1.1 Scope. The ferritic/austenitic duplex stainless steels (DSSs) discussed in this document have proven to be weldable using proper welding procedures. The processes GTAW, GMAW (includes all transfer modes), SMAW, FCAW, and SAW have all been used with success on these alloys. Automatic and mechanized welding such as orbital welding with the GTAW, GMAW, and FCAW processes have also been used with success on duplex alloys. Manual welders that have experience with austenitic stainless steels should be able to apply many of the techniques they have learned from these alloys to the welding of duplex stainless steels, while of course keeping in mind the exceptions to be noted within this document.

1.2 Units of Measure. This standard makes use of both the International System of Units (SI) and U.S. Customary Units. The latter are shown within brackets ([]) or in appropriate columns in tables and figures. The measurements may not be the exact equivalents; therefore, each system must be used independently.

To identify nominal pipe sizes in both SI and U.S. Customary Units, the following designations are used:

- (1) DN (Diameter Nominal) is the SI designation, and
- (2) NPS (Nominal Pipe Size) is the U.S. Customary designation.

1.3 Safety. Safety and health issues and concerns are beyond the scope of this standard and therefore are not addressed herein.

Safety and health information is available from the following sources:

American Welding Society:

- (1) ANSI Z49.1, *Safety in Welding, Cutting, and Allied Processes*
- (2) AWS Safety and Health Fact Sheets
- (3) Other safety and health information on the AWS website

Material or Equipment Manufacturers:

- (1) Safety Data Sheets supplied by materials manufacturers
- (2) Operating Manuals supplied by equipment manufacturers

Applicable Regulatory Agencies

Work performed in accordance with this standard may involve the use of materials that have been deemed hazardous, and may involve operations or equipment that may cause injury or death. This standard does not purport to address all safety and health risks that may be encountered. The user of this standard should establish an appropriate safety program to address such risks as well as to meet applicable regulatory requirements. ANSI Z49.1 should be considered when developing the safety program.