

AS/NZS 61000.6.8:2021



Australian/New Zealand Standard™

Electromagnetic compatibility (EMC) —

Part 6.8: Generic standards — Emission standard for professional equipment in commercial and light-industrial locations (IEC 61000-6-8:2020 (ED 1.0) MOD)



AS/NZS 61000.6.8:2021

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee TE-003, Electromagnetic Compatibility. It was approved on behalf of the Council of Standards Australia on 12 October 2021 and by the New Zealand Standards Approval Board on 6 October 2021.

This Standard was published on 22 October 2021.

The following are represented on Committee TE-003:

- Australian Broadcasting Corporation
- Australian Communications and Media Authority
- Australian Industry Group
- Consumer Electronics Suppliers Association
- Department of Defence (Australian Government)
- EMC Society of Australia
- Energy Networks Australia
- Engineers Australia
- Free TV Australia
- Lighting Council New Zealand
- NZ Ministry of Business, Innovation and Employment (MBIE)
- National Measurement Institute
- Wireless Institute Australia

This Standard was issued in draft form for comment as DR AS/NZS 61000.6.8:2021.

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au

www.standards.govt.nz

ISBN 978 1 76113 570 5

Australian/New Zealand Standard™

Electromagnetic compatibility (EMC) —

**Part 6.8: Generic standards — Emission
standard for professional equipment in
commercial and light-industrial locations (IEC
61000-6-8:2020 (ED 1.0) MOD)**

First published as AS/NZS 61000.6.8:2021.



© IEC Geneva Switzerland 2021 — All rights reserved

© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of either the IEC or the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand). If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please see the contact details on the back cover or the contact us page of the website for further information.

Preface

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Compatibility.

The objective of this document is to specify requirements for electrical and electronic equipment intended for use in commercial and light-industrial locations. This document applies only if no relevant dedicated product or product family EMC emission standard has been published. This document applies to equipment that satisfy the following restrictions of use:

- (a) Is defined as professional equipment.
- (b) Is professionally installed and maintained.
- (c) Is not intended to be used in residential locations.

AS/NZS 61000.6.3 applies to electrical and electronic equipment intended for use at commercial and light-industrial locations that do not satisfy these restrictions.

The intention is that all equipment used in the residential, commercial, and light-industrial environments are covered by AS/NZS 61000.6.3 or this document. If there is any doubt, the requirements in AS/NZS 61000.6.3 apply.

Emission requirements within the frequency range 0 Hz to 400 GHz are covered.

The conducted and radiated emission requirements in the frequency range up to 400 GHz are considered essential and have been selected to provide an adequate level of protection of radio reception in the defined electromagnetic environment. Not all disturbance phenomena have been included for testing purposes but only those considered relevant for the equipment intended to operate within the locations included within this document.

The emission requirements in this document are not intended to be applicable to the intentional transmissions and their harmonics from a radio-transmitter as defined by the ITU.

NOTE 1 Safety considerations are not covered by this document.

NOTE 2 In special cases, situations will arise where the levels specified in this document will not offer adequate protection; for example, where a sensitive receiver is used in close proximity to an equipment. In these instances, employ special mitigation measures to reduce any impact.

NOTE 3 Disturbances generated in fault conditions of equipment are not covered by this document.

NOTE 4 Equipment which conforms to AS/NZS IEC 61000.6.3 are suitable for use within these defined locations.

This document is an adoption with national modifications, and has been reproduced from, IEC 61000-6-8:2020 (Ed 1.0), *Electromagnetic compatibility (EMC) — Part 6-8: Generic standards — Emission standard for professional equipment in commercial and light-industrial locations*. The modifications are additional requirements and are set out in [Appendix ZZ](#), which has been added at the end of the source text.

[Appendix ZZ](#) lists the variations to IEC 61000-6-8:2020 for the application of this document in Australia and New Zealand.

As this document has been reproduced from an International Standard the following applies:

- (i) In the source text “this part of IEC 61000” should read “this document”.
- (ii) A full point substitutes for a comma when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms.....	12
4 Classification of equipment.....	13
5 Measurements and conditions during testing	13
6 Documentation for the user.....	14
7 Applicability	15
8 Emission requirements	15
9 Measurement uncertainty	15
10 Compliance with this document	15
11 Emission test requirements.....	16
Annex A (informative) Examples of emission classification of equipment and mapping to the immunity standard.....	22
Annex B (normative) Testing of DC powered systems	23
Annex C (informative) Rationale for alternative test levels at the DC power port	25
C.1 General.....	25
C.2 Necessity of alternative test methods in generic standards	25
C.3 Limit justification in table clause 5.2.....	25
C.3.1 Proportional relation approach.....	25
C.3.2 Current-to-voltage conversion approach	26
C.3.3 Setting the final limit	27
Annex D (informative) Special measures and mitigation techniques	28
Bibliography.....	30
Figure 1 – Example of ports	11
Figure C.1 – Equivalent circuit of test set-up for measurement of disturbance voltages.....	26
Figure C.2 – Limit proposals of the two different approach and the final limit compromise	27
Table 1 – Test arrangements of EUT	14
Table 2 – Required highest frequency for radiated measurement.....	16
Table 3 – Requirements for radiated emissions – Enclosure port	18
Table 4 – Requirements for conducted emissions – Low voltage AC mains port.....	19
Table 5 – Requirements for conducted emissions – DC power port	20
Table 6 – Requirements for conducted emissions, other wires ports	21
Table A.1 – Examples of emission classification of equipment to immunity standard against product type and its intended environment.....	22
Table B.1 – Conducted testing requirements of DC powered equipment.....	24
Table B.2 – Conditional requirements for the start frequency of test at DC power ports for tests defined in table clause B1.4 to B1.7	24

Table C.1 – DC power port, terminal disturbance voltage limits for class A GCPCs, measured on a test site, proportion relation approach	26
Table C.2 – DC power port, terminal disturbance voltage limits for class A GCPCs, measured on a test site, current-to-voltage conversion approach	27
Table C.3 – DC power port, terminal disturbance voltage limits for class A GCPCs, with rated throughput ≤ 20 kVA	27
Table D.1 – Examples of special measures and mitigation techniques, for the enclosure port	28
Table D.2 – Examples of special measures and mitigation techniques, for the various wired ports	29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 6-8: Generic standards – Emission standard for professional equipment in commercial and light-industrial locations

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-6-8 has been prepared by CISPR subcommittee H: Limits for the protection of radio services.

The text of this document is based on the following documents:

CDV	Report on voting
CIS/H/401/CDV	CIS/H/414/RVC

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)
Definitions, terminology

Part 2: Environment

Description of the environment
Classification of the environment
Compatibility levels

Part 3: Limits

Emission limits
Immunity limits (insofar as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques
Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines
Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts published either as International Standards or technical reports/specifications, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 6-8: Generic standards – Emission standard for professional equipment in commercial and light-industrial locations

1 Scope

This generic EMC emission standard is applicable only if no relevant dedicated product or product family EMC emission standard has been published.

This part of IEC 61000 for emission requirements applies to electrical and electronic equipment intended for use in commercial and light-industrial (see 3.1.3) locations. This document applies to equipment that satisfy the following restrictions of use:

- is defined as professional equipment (see 3.1.13),
- is professionally installed and maintained (see 3.1.14 and Clause 6),
- is not intended to be used in residential locations (see 3.1.16).

IEC 61000-6-3 applies to electrical and electronic equipment intended for use at commercial and light-industrial locations that do not satisfy these restrictions.

The intention is that all equipment used in the residential, commercial and light-industrial environments are covered by IEC 61000-6-3 or IEC 61000-6-8. If there is any doubt, the requirements in IEC 61000-6-3 apply.

Emission requirements within the frequency range 0 Hz to 400 GHz are covered.

The conducted and radiated emission requirements in the frequency range up to 400 GHz are considered essential and have been selected to provide an adequate level of protection of radio reception in the defined electromagnetic environment. Not all disturbance phenomena have been included for testing purposes but only those considered relevant for the equipment intended to operate within the locations included within this document.

The emission requirements in this document are not intended to be applicable to the intentional transmissions and their harmonics from a radio transmitter as defined by the ITU.

NOTE 1 Safety considerations are not covered by this document.

NOTE 2 In special cases, situations will arise where the levels specified in this document will not offer adequate protection; for example where a sensitive receiver is used in close proximity to an equipment. In these instances, employ special mitigation measures to reduce any impact.

NOTE 3 Disturbances generated in fault conditions of equipment are not covered by this document.

NOTE 4 Equipment which complies with IEC 61000-6-3 are suitable for use within these defined locations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61000-3-2:2018, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*