

IPC-2231A

2021 - August

DFX Guidelines

Supersedes IPC-2231

April 2019

An international standard developed by IPC



BUILD ELECTRONICS BETTER

The Principles of Standardization

In May 1995 the IPC's Technical Activities Executive Committee (TAEC) adopted Principles of Standardization as a guiding principle of IPC's standardization efforts.

Standards Should:

- Show relationship to Design for Manufacturability (DFM) and Design for the Environment (DFE)
- Minimize time to market
- Contain simple (simplified) language
- Just include spec information
- Focus on end product performance
- Include a feedback system on use and problems for future improvement

Standards Should Not:

- Inhibit innovation
- Increase time-to-market
- Keep people out
- Increase cycle time
- Tell you how to make something
- Contain anything that cannot be defended with data

Notice

IPC Standards and Publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards and Publications shall not in any respect preclude any member or nonmember of IPC from manufacturing or selling products not conforming to such Standards and Publication, nor shall the existence of such Standards and Publications preclude their voluntary use by those other than IPC members, whether the standard is to be used either domestically or internationally.

Recommended Standards and Publications are adopted by IPC without regard to whether their adoption may involve patents on articles, materials, or processes. By such action, IPC does not assume any liability to any patent owner, nor do they assume any obligation whatever to parties adopting the Recommended Standard or Publication. Users are also wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

IPC Position Statement on Specification Revision Change

It is the position of IPC's Technical Activities Executive Committee that the use and implementation of IPC publications is voluntary and is part of a relationship entered into by customer and supplier. When an IPC publication is updated and a new revision is published, it is the opinion of the TAEC that the use of the new revision as part of an existing relationship is not automatic unless required by the contract. The TAEC recommends the use of the latest revision. Adopted October 6, 1998

Why is there a charge for this document?

Your purchase of this document contributes to the ongoing development of new and updated industry standards and publications. Standards allow manufacturers, customers, and suppliers to understand one another better. Standards allow manufacturers greater efficiencies when they can set up their processes to meet industry standards, allowing them to offer their customers lower costs.

IPC spends hundreds of thousands of dollars annually to support IPC's volunteers in the standards and publications development process. There are many rounds of drafts sent out for review and the committees spend hundreds of hours in review and development. IPC's staff attends and participates in committee activities, typesets and circulates document drafts, and follows all necessary procedures to qualify for ANSI approval.

IPC's membership dues have been kept low to allow as many companies as possible to participate. Therefore, the standards and publications revenue is necessary to complement dues revenue. The price schedule offers a 50% discount to IPC members. If your company buys IPC standards and publications, why not take advantage of this and the many other benefits of IPC membership as well? For more information on membership in IPC, please visit www.ipc.org or call 847/597-2872.

Thank you for your continued support.



IPC-2231A

DFX Guidelines

Developed by the 1-14 DFX Subcommittee of the 1-10 Printed Board Design Committee of IPC

Supersedes:
IPC-2231, April 2019

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

IPC
3000 Lakeside Drive, Suite 105N
Bannockburn, Illinois
60015-1249
Tel 847 615.7100
Fax 847 615.7105

This Page Intentionally Left Blank

Acknowledgment

Any document involving a complex technology draws material from a vast number of sources across many continents. While the principal members of the 1-14 DFX Subcommittee of the 1-10 Printed Board Design Committee are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of the IPC extend their gratitude.

1-10 Printed Board Design Committee

Chair:
Philip Henault
Raytheon

Vice-Chair:
Michelle Gleason
Plexus Corporation

1-14 DFX Subcommittee

Co-Chairs:
Karen McConnell
Northrop Grumman Corporation

Stephen Golemme
JITX Inc.

Dock Brown
ANSYS Inc.

Technical Liaison of the IPC Board of Directors

Bob Neves
Microtek (Changzhou) Laboratories

DFX Subcommittee

Edward Acheson
Cadence Design Systems Inc.

Benny Barbero
Allied Telesis Inc.

Jasbir Bath
Koki Solder America

Scott Bowles
Lockheed Martin Corporation

Randy Bremner
Northrop Grumman Corporation

Dock Brown
ANSYS Inc.

Jonathan Bruer
Creation Technologies Inc.

Vanja Bukva
Teledyne Dalsa

Zhiman Chen
Zhuzhu CRRC Times
Electric Co., Ltd.

Sean Clancy
HzO Inc.

Joe Clark
Lockheed Martin Missiles
& Fire Control

Michael Collier
Teledyne Leeman Labs

Michael Creedon
EPTAC Corporation

Don Dupriest
Lockheed Martin Missiles
& Fire Control

Peter Fernandez
Facebook

Gary Ferrari
EPTAC Corporation

Darrell Freiwald
Northrop Grumman Systems
Corporation

Sarah Friscano
L3Harris Communications

Daniel Gamota
Jabil Circuit, Inc.

Michelle Gleason
Plexus Corporation

Stephen Golemme
JITX Inc.

Jay Gorajia
Siemens Digital Industries Software

Arnaud Grivon
Thales Global Service

David Hager
BAE Systems

Thomas Hausherr
PCB Libraries

Eddie Hofer
Collins Aerospace

Terry Hoffman
Cisco Systems Inc.

Happy Holden

Jennie Hwang
H-Technologies Group

Kyle Johnson
Lockheed Martin Missiles
& Fire Control

Kathy Johnson

Russell Kaunas
Collins Aerospace

Dana Korf
Korf Consultancy LLC

Kevin Kusiak
Lockheed Martin Corporation

Dale Lee
Plexus Corporation

Murilo Levy Casotti
Embraer SA

Howard Liu
Vayo (Shanghai)
Technology Co., Ltd.

Herry Magera
Motorola Solutions

Chris Mahanna
Robisan Laboratory Inc.

Karen McConnell
Northrop Grumman Corporation

Daniel McCormick
Naval Surface Warfare Center

Kristopher Moyer
California State University
Sacramento

Ron Nowak
Lockheed Martin Mission Systems
& Training

Russell Nowland Nokia	Jose Rios Raytheon	Rainer Taube Taube Electronic GmbH
Deogenes Papelera Fresenius Kabi	Thomas Romont IFTEC	Theodore Tontis Rockwell Automation
Jan Pedersen Elmatica	Robert Rowland Axiom Electronics, LLC	Cheryl Tulkoff
Binh Pham Viasat Inc.	Steven Roy Roy Design and Manufacturing Service	Louis Ungar Advanced Test Engineering Solutions, Inc.
Patrick Phillips Northrop Grumman Innovation Systems	Henry Sanftleben Aptiv	Jesse Vaughan ACDI – American Computer Development, Inc.
James Pierce Axiom Electronics LLC	Karl Sauter Oracle America, Inc.	Pietro Vergine Leading Edge
Micah Pledger	Hemant Shah	Steve Vetter Naval Surface Warfare Center
Ray Prasad Prasad Consultancy Group	Chris Shaw Fujitsu Network Communications	Scott Vorhies Space Exploration Technologies
Robert Priore Cisco Systems Inc.	Cameron Shearon Raytheon	Linda Woody LWC Consulting
Anthony Rafanelli Raytheon Company	Russell Steiner Casco Products	Paul Zutter U.S. Army Aviation & Missile Command
Bill Reed Ciena Corporation	Geok And Tan DSO National Laboratories	
Edward Rios Motorola Solutions		

Table of Contents

1	SCOPE	1	5.5.4	Outputs	9
1.1	Purpose	1	5.6	Product Validation.....	9
1.2	Goals of This Document	1	5.6.1	Overview	9
1.3	Limitations of This Document	1	5.6.2	Inputs.....	9
2	APPLICABLE DOCUMENTS	1	5.6.3	Tasks	9
2.1	IPC	1	5.6.4	Outputs	9
2.2 S	AE International	2	5.7	Manufacturing Validation	10
2.3	IEEE	2	5.7.1	Overview	10
2.4	JEDEC	2	5.7.2	Inputs.....	10
2.5	Government.....	2	5.7.3	Tasks	10
2.6	Industry Standards and Guidelines	2	5.7.4	Outputs	10
3	TERMS AND DEFINITIONS	3	5.8	Support	10
4	OVERVIEW OF DESIGN FOR EXCELLENCE (DFX) PRACTICES	3	5.8.1	Overview	10
4.1	Design for Manufacturing (DFM).....	3	6	FABRICATION PROCESS	10
4.2	Printed Board Design for Fabrication (DFF).....	4	6.1	Materials	10
4.3	Design for Assembly (DFA).....	4	6.1.1	Solder Mask.....	10
4.4	Design for Test/Testability (DFT).....	5	6.1.2	Cores / Pre-pregs	11
4.5	Design for Cost (DFC)	5	6.1.3	Legend	11
4.6	Design for Reliability (DFR).....	5	6.1.4	Metal Foils	11
4.7	Design for Environment (DFE).....	5	6.1.5	Surface Finishes.....	11
4.8	Design for Reuse	5	6.2	Fabrication Process	11
5	DESIGN PROCESS for PRINTED BOARD ASSEMBLY	6	6.2.1	Front-End Engineering	11
5.1	Overview	6	6.2.2	Registration	12
5.2	Concept Design and Analysis	6	6.2.3	Plating	12
5.2.1	Overview	6	6.2.4	Lamination.....	12
5.2.2	Inputs.....	7	6.2.5	Mechanical Drilling.....	12
5.2.3	Tasks	7	6.2.6	Laser Drilling.....	12
5.2.4	Outputs	7	6.2.7	Back Drilling	12
5.3	Detailed Design	7	6.2.8	Legend Application.....	13
5.3.1	Overview	7	6.2.9	Via Protection	13
5.3.2	Inputs.....	7	6.2.10	Copper Thieving	13
5.3.3	Tasks	8	6.3	Panel Configuration.....	13
5.3.4	Outputs	8	7	ASSEMBLY PROCESS	13
5.4	Design Release	8	7.1	Scope	13
5.4.1	Overview	8	7.2	Solder Mask.....	13
5.4.2	Inputs.....	8	7.3	Components.....	13
5.4.3	Tasks	8	7.4	Panel/Array	13
5.4.4	Outputs	9	7.5	Clearance Component	14
5.5	First Build Support	9	7.6	Component Placement/Mounting	14
5.5.1	Overview.....	9	7.7	Pad Outgassing	15
5.5.2	Inputs.....	9	7.8	Fiducials	15
5.5.3	Tasks	9	7.9	Tooling	15
			7.10	Pb-Free Solder Assembly Temperatures	15
			7.10.1	Copper Flooding and Thermal Relief	15

7.10.2 Heat Sensitive Component 15

7.10.3 Assembly Effects on Printed Board
Assembly Materials 16

7.10.4 Moisture Sensitivity 16

7.11 Surface Mount Paste Printing 16

7.12 Machine Soldering 16

7.12.1 Single Point Automated Soldering Systems 16

7.12.2 Reflow Soldering 16

7.12.3 Convection Reflow 16

7.12.4 Vapor Phase Reflow 17

7.12.5 Pin in Paste/Paste in Hole/Intrusive
Soldering/Solder Preforms 17

7.12.6 Wave Soldering 17

7.12.7 Selective Soldering/Point-to-Point Soldering 17

7.12.8 Point-to-Point Soldering 17

7.12.9 Selective Dip Soldering 17

7.13 Laser Soldering 17

7.14 Manual/Rework Soldering 17

7.14.1 Soldering Iron 17

7.14.2 Vacuum Tipped Soldering Iron 18

7.14.3 Hand Hot Air/Gas Soldering 18

7.14.4 BGA/Area Array Rework 18

7.14.5 Mini-Pot (Solder Fountain) Wave Rework 18

7.15 Cleaning 18

7.16 Underfill 18

7.17 Conformal Coating 19

7.18 Design Guidelines for
System Enclosures/Box Builds 19

8 TESTABILITY (DFT) 20

8.1 Overview 20

8.2 Concept Design and Analysis 20

8.2.1 Activities 20

8.2.2 Description 20

8.3 Detailed Design 20

8.3.1 Activities 20

8.3.2 Description 20

8.4 Design Release 21

8.4.1 Activities 21

8.5 First Build Support 21

8.5.1 Activities 21

8.5.2 Description 21

8.6 Validation 21

8.6.1 Activities 21

8.7 Support 21

8.7.1 Activities 21

8.7.2 Description 21

8.8 DFT Considerations 21

8.8.1 Parts Selection 22

8.8.2 Test Strategy Formulatio 22

8.8.3 Printed Board Layout 22

8.9 DFT Guidelines and Assessment 22

8.9.1 Design for Testability Metrics 22

8.10 References 23

8.10.1 IEEE Standards for DFT 23

8.10.2 Industry Standards and Guidelines 23

8.10.3 Military Standards and Guidelines 23

8.10.4 Commercially Available DFT Guidelines 23

9 COST 24

9.1 Bill of Material (BOM) Costs 24

9.2 Printed Board and Assembly Costs 24

9.3 Sustaining Costs 24

9.4 Test Costs 25

9.5 Rework and Repair Costs 25

10 DESIGN FOR RELIABILITY 25

10.1 Reliability Physics /Physics of Failure 25

10.2 Solder Joint Reliability 26

10.3 Tin Whisker Risk Considerations 26

10.4 CTE of Common Materials (CTE) 26

10.5 Comparative Reliability Matrix 27

11 DESIGN FOR THE ENVIRONMENT 29

11.1 Sustainability 29

11.2 Materials 29

11.3 Regulatory 29

11.3.1 End-of-Life 29

11.3.2 Life Cycle Assessments 29

12 DESIGN FOR REUSE 30

12.1 Designing for Reuse within an Organization 30

12.2 Designing for Reuse by Third Parties 30

13 CHECK LISTS COMPARISONS 31

14 ACRONYMS 48

Figures

Figure 3-1 Plated-Through-Hole (PTH) 3

Figure 5-1 Process Flow 6

Table 10-1 Cyclic Services Environment over
Design Life 27

Figure 10-1 Through-Hole Solder Joint 28

Figure 10-2 Surface Mount Discrete Solder Joint 28

Figure 10-3 Surface Mount J-Lead Joints 28

Figure 10-4 Surface Mount BGA Solder Joints 28

Table

Table 10-1 Cyclic Services Environment over
Design Life 27

Design for Excellence (DFX) Guidelines

1 SCOPE

This document provides guidelines for establishing a best practice methodology for use in developing a formal DFX (Design for Manufacturing, Fabrication, Assembly, Testability, Cost, Reliability, Environment, Reuse) process for layout of printed board assemblies that utilize surface mount and through hole devices.

1.1 Purpose The document provides a DFX process framework to establish a discipline of design review necessary to perform a detailed analysis of manufacturability attributes commonly found in electronics hardware for fabrication and around which to model a printed board assembly.

1.2 Goals of This Document The goals of this document are to:

- Use a multi-discipline engineering assessment tactic on elements influencing DFX.
- Allow the user to establish standardized DFX checklist(s) for major design elements such as bare printed board fabrication, printed board assembly manufacturing, electrical testability, and elements influencing product reliability, reuse, and impact on environment.

1.3 Limitations of This Document Electronics hardware defined under this DFX review process is limited to features of influence on DFX for bare printed board and printed board assembly.

2 APPLICABLE DOCUMENTS

2.1 IPC¹

J-STD-001 Requirements for Soldered Electrical and Electronic Assemblies

IPC-T-50 Terms and Definitions for Interconnecting and Packaging Electronic Circuits

IPC-CH-65 Guidelines for Cleaning of Printed Boards and Assemblies

IPC-D-279 Design Guidelines for Reliable Surface Mount Technology Printed Board Assemblies

IPC-D-325 Documentation Requirements for Printed Boards, Assemblies and Support Drawings

IPC-A-610 Acceptability of Electronic Assemblies

IPC-A-630 Acceptability Standard for Manufacture, Inspection, and Testing of Electronic Enclosures

IPC-SM-785 Guidelines for Accelerated Reliability Test of Surface Mount Solder Attachments

IPC-CC-830 Qualification and Performance of Electrical Insulating Compound for Printed Wiring Assemblies

IPC-2221 Generic Standard on Printed Board Design

IPC-2222 Sectional Design Standard for Rigid Organic Printed Boards

IPC-2223 Sectional Design Standard for Flexible Printed Boards

IPC-2224 Sectional Standard for Design of PWBs for PC Cards

IPC-2225 Sectional Design Standard for Organic Multichip Modules (MCM-L) and MCM-L Assemblies

IPC-2226 Sectional Design Standard for High Density Interconnect (HDI) Printed Boards

IPC-2581 Generic Requirements for Printed Board Assembly Products Manufacturing Description Data and Transfer Methodology

IPC-2615 Printed Board Dimensions and Tolerances

IPC-4761 Design Guide for Protection of Printed Board Via Structures

IPC-6012 Qualification and Performance Specification for Rigid Printed Boards

IPC-7351 Generic Requirements for Surface Mount Design and Land Pattern Standard

IPC-7525 Guidelines for Stencil Design

¹ www.ipc.org