



PROCESS
INDUSTRY
PRACTICES

EDITORIAL CORRECTION
April 2022

Piping

**PIP PNSC0001
ASME B31.3 Metallic Piping
Fabrication and Examination Specification**

PURPOSE AND USE OF PROCESS INDUSTRY PRACTICES

In an effort to minimize the cost of process industry facilities, this Practice has been prepared from the technical requirements in the existing standards of major industrial users, contractors, or standards organizations. By harmonizing these technical requirements into a single set of Practices, administrative, application, and engineering costs to both the purchaser and the manufacturer should be reduced. While this Practice is expected to incorporate the majority of requirements of most users, individual applications may involve requirements that will be appended to and take precedence over this Practice. Determinations concerning fitness for purpose and particular matters or application of the Practice to particular project or engineering situations should not be made solely on information contained in these materials. The use of trade names from time to time should not be viewed as an expression of preference but rather recognized as normal usage in the trade. Other brands having the same specifications are equally correct and may be substituted for those named. All Practices or guidelines are intended to be consistent with applicable laws and regulations including OSHA requirements. To the extent these Practices or guidelines should conflict with OSHA or other applicable laws or regulations, such laws or regulations must be followed. Consult an appropriate professional before applying or acting on any material contained in or suggested by the Practice.

This Practice is subject to revision at any time.

© Process Industry Practices (PIP), Construction Industry Institute, The University of Texas at Austin, 3925 West Braker Lane (R4500), Austin, Texas 78759. PIP Member Companies and Subscribers may copy this Practice for their internal use. Changes or modifications of any kind are not permitted within any PIP Practice without the express written authorization of PIP. Authorized Users may attach addenda or overlays to clearly indicate modifications or exceptions to specific sections of PIP Practices. Authorized Users may provide their clients, suppliers and contractors with copies of the Practice solely for Authorized Users' purposes. These purposes include but are not limited to the procurement process (e.g., as attachments to requests for quotation/ purchase orders or requests for proposals/contracts) and preparation and issue of design engineering deliverables for use on a specific project by Authorized User's client. PIP's copyright notices must be clearly indicated and unequivocally incorporated in documents where an Authorized User desires to provide any third party with copies of the Practice.

PUBLISHING HISTORY

<i>February 1998</i>	<i>Issued</i>	<i>February 2022</i>	<i>Complete Revision</i>
<i>October 2006</i>	<i>Complete Revision</i>	<i>April 2022</i>	<i>Editorial Correction</i>
<i>November 2014</i>	<i>Complete Revision</i>		

Not printed with State funds



PIP PNSC0001 ASME B31.3 Metallic Piping Fabrication and Examination Specification

Table of Contents

1. Scope	2
2. References	2
2.1 Process Industry Practices	2
2.2 Industry Codes and Standards	2
3. Definitions	3
4. Requirements	3
4.1 General	3
4.2 Materials	4
4.3 Welding	4
4.4 Branch Connections	6
4.5 Machined Surfaces	7
4.6 Forming and Bending	7
4.7 Flanges	7
4.8 Orifice Runs	8
4.9 Cleaning	8
4.10 Examination and Testing	8
4.11 Heat Treatment	12
4.12 Painting	15
4.13 Marking	15
4.14 Shipping and Storage	16
4.15 Documentation	16

1. Scope

This Practice provides requirements for fabricating and examining piping systems in accordance with ASME B31.3 Process Piping, (hereinafter referred to as the Code). This Practice describes the requirements for both shop and field fabricated piping. Piping fabrication requirements are provided for materials, welding, forming, and heat treatment.

Examination requirements are provided for piping materials, components, fabrication, assembly, and erection. Requirements for examination documentation are provided. Examination methods, acceptance criteria, and requirements for correction of defective work are also provided.

2. References

Applicable parts of the following Practices and industry codes and standards shall be considered an integral part of this Practice. The edition in effect on the date of contract award shall be used, except as otherwise noted. Short titles are used herein where appropriate.

2.1 Process Industry Practices (PIP)

- PIP PNE00012 - *Piping Examination and Leak Test Guide*
- PIP PNFS0001 - *Pipe Supports Details*
- PIP PNSC0021 - *Specification for Leak Tests of Piping*

2.2 Industry Codes and Standards

- American Petroleum Institute (API)
 - API RP 582 - *Recommended Practice Welding Guidelines for the Chemical, Oil and Gas Industries*
- American Society of Mechanical Engineers (ASME)
 - ASME Boiler and Pressure Vessel Code
Section V - "Nondestructive Examination" (*BPV Code, Section V*)
 - ASME B16.25 - *Buttwelding Ends*
 - ASME B31.3 - (latest edition) *Process Piping (Code)*
- American Society for Testing and Materials (ASTM)
 - ASTM E165 - *Standard Practice for Liquid Penetrant Examination for General Industry*
- American Welding Society (AWS)
 - AWS D10.10: 1999 (R2009) - *Recommended Practices for Local Heating of Welds in Piping and Tubing*
- Piping Fabrication Institute (PFI)
 - PFI Standard ES-3 - *Fabricating Tolerances*