

AN AMERICAN NATIONAL STANDARD

Gages and Gaging for MJ Series Metric Screw Threads

ANSI/ASME B1.22M - 1985

(REVISION OF ANSI B1.22-1978)

SPONSORED AND PUBLISHED BY

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

United Engineering Center

345 East 47th Street

New York, N.Y. 10017

Intentionally left blank

AN AMERICAN NATIONAL STANDARD

Gages and Gaging for MJ Series Metric Screw Threads

ANSI/ASME B1.22M - 1985

(REVISION OF ANSI B1.22-1978)

SPONSORED AND PUBLISHED BY

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

United Engineering Center

345 East 47th Street

New York, N. Y. 10017

Date of Issuance: December 31, 1986

This Standard will be revised when the Society approves the issuance of a new edition. There will be no addenda or written interpretations of the requirements of this Standard issued to this Edition.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations issued in accordance with governing ASME procedures and policies which preclude the issuance of interpretations by individual volunteers.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

Copyright © 1986 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved
Printed in U.S.A.

FOREWORD

(This Foreword is not part of ANSI/ASME B1.22M-1985.)

American National Standards Committee B1 for the standardization of screw threads was organized in 1920 as Sectional Committee B1 under the aegis of the American Engineering Standards Committee [later the American Standards Association, then the United States of America Standards Institute, and as of October 6, 1969, the American National Standards Institute, Inc. (ANSI)], with the Society of Automotive Engineers and the American Society of Mechanical Engineers as joint sponsors. As a result, a great deal of effort was expended through the years toward development of several inch screw thread standards, including the current inch gaging standard, ANSI/ASME B1.2-1983, Gages and Gaging for Unified Inch Screw Threads.

Recognizing the increasing need of industries in the United States for documentation of American gaging practice for metric screw threads, American National Standards Committee B1 charged its thread gaging Subcommittee 2 with the responsibility for producing such a standard. ANSI B1.16-1972 was developed as a standard for American gaging practice for metric screw threads; ANSI/ASME B1.16M-1984 is a revision of that standard.

With the development of the MJ series of metric screw threads, documented in ANSI B1.21, it became necessary to document the required thread gages that were not covered in the ANSI B1.16 standard. Committee B1 asked Subcommittee 2 to develop such a standard.

ANSI B1.22-1978 was developed by Subcommittee 2 to provide the essential specifications for gages and gaging practice necessary to fulfill the provisions of the product thread document ANSI B1.21, Metric Screw Threads — MJ Profile.

In 1982, Committee B1 was reorganized as the ASME Standards Committee B1, and it has operated under American Society of Mechanical Engineers procedures to produce and update standards which become ANSI Standards after final approval by the American National Standards Institute.

This publication, designated ANSI/ASME B1.22M-1985, does not have any references to conformance criteria, as Committee B1 has established B1.3M for all levels of acceptability for screw threads. A considerable amount of new material is added to cover the many options of gages and measuring equipment shown in B1.3M. Mn/Mt gages have been identified as NOT GO gages.

The proposed Standard was submitted by the ASME Board of Standardization to the American National Standards Institute. It was approved and formally designated as an American National Standard on September 26, 1985.

Intentionally left blank

ASME STANDARDS COMMITTEE B1

Standardization and Unification of Screw Threads

(The following is the roster of the Committee at the time of approval of this Standard.)

OFFICERS

D. J. Emanuelli, *Chairman*
H. W. Ellison, *Vice Chairman*
C. E. Lynch, *Secretary*

COMMITTEE PERSONNEL

AEROSPACE INDUSTRIES ASSOCIATION OF AMERICA, INC.

G. G. Gerber, McDonnell Douglas, St. Louis, Missouri
H. Borrmann, *Alternate*, Sperry Gyroscope Division, Great Neck, New York

AMERICAN IRON AND STEEL INSTITUTE

F. Dallas, Jr., Cyclops Corp., Sharon, Pennsylvania

AMERICAN MEASURING TOOL MANUFACTURERS ASSOCIATION

D. Dodge, Penney-Dodge Co., Glendale, California
C. W. Jatho, *Alternate*, American Measuring Tool Manufacturers Association, Birmingham, Michigan

AMERICAN PIPE FITTINGS ASSOCIATION

W. C. Farrell, Jr., Stockham Valves and Fittings, Inc., Birmingham, Alabama

DEFENSE INDUSTRIAL SUPPLY CENTER

E. Schwartz, Defense Industrial Supply Center, Philadelphia, Pennsylvania
F. S. Ciccarone, *Alternate*, Defense Industrial Supply Center, Philadelphia, Pennsylvania

ENGINE MANUFACTURERS ASSOCIATION

G. A. Russ, Cummins Engine Co., Columbus, Indiana

FARM AND INDUSTRIAL EQUIPMENT INSTITUTE

J. F. Nagy, Ford Motor Co., Dearborn, Michigan

INDUSTRIAL FASTENERS INSTITUTE

R. B. Belford, Industrial Fasteners Institute, Cleveland, Ohio
R. M. Harris, Bethlehem Steel Co., Lebanon, Pennsylvania
K. E. McCullough, SPS Technologies, Inc., Jenkintown, Pennsylvania
J. C. McMurray, Russell, Burdsall and Ward, Inc., Mentor, Ohio

MANUFACTURERS STANDARDIZATION SOCIETY OF THE VALVE AND FITTINGS INDUSTRY

W. C. Farrell, Jr., Stockham Valves and Fittings, Inc., Birmingham, Alabama

METAL CUTTING TOOL INSTITUTE (TAP & DIE DIVISION)

N. F. Nau, Union/Butterfield Division, Litton Industries, Athol, Massachusetts
A. D. Shepherd, Jr., *Alternate*, Union/Butterfield Division, Litton Industries, Derby Line, Vermont

NATIONAL ELECTRICAL MANUFACTURERS ASSOCIATION

J. L. Griffin, Wheatland Tube Co., Wheatland, Pennsylvania
J. B. Levy, General Electric Co., Schenectady, New York
F. F. Weingruber, Westinghouse Electric Corp., Pittsburgh, Pennsylvania
W. Montavon, *Alternate*, National Electrical Manufacturers Association, Washington, D.C.

NATIONAL FASTENER DISTRIBUTORS ASSOCIATION

J. Sullivan, Accurate Fasteners, Inc., Boston, Massachusetts

NATIONAL MACHINE TOOL BUILDERS ASSOCIATION

R. J. Sabatos, Cleveland Twist Drill Co., Cleveland, Ohio
D. R. Stoner, Jr., Teledyne Landis Machine Co., Waynesboro, Pennsylvania

NATIONAL SCREW MACHINE PRODUCTS ASSOCIATION

T. S. Meyer, Fischer Special Manufacturing Co., Cold Spring, Kentucky
R. Zahnizer, *Alternate*, National Screw Machine Products Association, Brecksville, Ohio

SOCIETY OF AUTOMOTIVE ENGINEERS

H. W. Ellison, General Motors Corp., Warren, Michigan

SOCIETY OF MANUFACTURING ENGINEERS

D. Davidson, Morse/Hemco Corp., Holland, Michigan
L. Gibson, *Alternate*, Morse/Hemco Corp., Holland, Michigan

TUBULAR RIVET AND MACHINE INSTITUTE

R. M. Byrne, Industry Service Bureaus, Inc., White Plains, New York

U.S. DEPARTMENT OF THE ARMY

F. J. Clas, U.S. Army, Watervliet Arsenal, Watervliet, New York
J. Crowley, U.S. Army Material Development and Readiness Command, Alexandria, Virginia
F. L. Jones, *Alternate*, U.S. Army Missile Command, Redstone Arsenal, Alabama

U.S. DEPARTMENT OF DEFENSE

E. Schwartz, Defense Industrial Supply Center, Philadelphia, Pennsylvania

U.S. DEPARTMENT OF THE NAVY

C. T. Gustafson, Metrology Laboratory, Portsmouth Naval Ship Yard, Portsmouth, New Hampshire

INDIVIDUAL MEMBERS

C. T. Appleton, Jefferson, Massachusetts
J. Boehnlein, PMC Industries, Wickliffe, Ohio
A. R. Breed, Lakewood, Ohio
R. Browning, Southern Gage Co., Erin, Tennessee
A. Butovich, Air Industries Corp., Garden Grove, California
R. S. Chamerda, The Johnson Gage Co., Bloomfield, Connecticut
J. F. Cramer, Des Moines, Washington
P. Drake, Hudson, Massachusetts
E. W. Drescher, Lancaster, Pennsylvania
D. J. Emanuelli, Greenfield Tap and Die, Greenfield, Massachusetts
C. G. Erickson, Sterling Die, West Hartford, Connecticut
S. P. Johnson, The Johnson Gage Co., Bloomfield, Connecticut
S. I. Kanter, The Hanson-Whitney Co., Hartford, Connecticut
R. W. Lampport, The Van Keuren Co., Watertown, Massachusetts
A. R. Machell, Jr., Webster, New York
A. E. Masterson, Watervliet, New York
R. E. Mazzara, Geometric Tool, New Haven, Connecticut
P. V. Pastore, Regal Beloit Corp., South Beloit, Illinois
M. M. Schuster, Hi-Shear Corp., Torrance, California
A. G. Strang, Boyds, Maryland
R. Tennis, Caterpillar Tractor Co., Peoria, Illinois
A. F. Thibodeau, Swanson Tool Manufacturing, Inc., West Hartford, Connecticut
J. W. Turton, The Bendix Corp., Greenfield, Massachusetts

SUBCOMMITTEE B1.2 — SCREW THREAD GAGES AND GAGING

- R. Browning**, *Chairman*, Southern Gage Co., Erin, Tennessee
- A. F. Thibodeau**, *Secretary*, Swanson Tool Manufacturing, Inc., West Hartford, Connecticut
- J. Boehnlein**, PMC Industries, Wickliffe, Ohio
- D. Cadieux**, Greenfield Tap and Die, Greenfield, Massachusetts
- R. S. Chamerda**, The Johnson Gage Co., Bloomfield, Connecticut
- M. Davidson**, Morse/Hemco Corp., Holland, Michigan
- D. Dodge**, Pennoyer-Dodge Co., Glendale, California
- H. W. Ellison**, General Motors Technical Center, Warren, Michigan
- C. G. Erickson**, Sterling Die, West Hartford, Connecticut
- C. T. Gustafson**, Metrology Laboratories Division, Portsmouth, New Hampshire
- S. I. Kanter**, The Hanson-Whitney Co., Hartford, Connecticut
- R. W. Lampert**, The Van Keuren Co., Watertown, Massachusetts
- A. E. Masterson**, Watervliet, New York
- K. E. McCullough**, SPS Technologies, Inc., Jenkintown, Pennsylvania
- J. C. McMurray**, Russell, Burdsall and Ward, Inc., Mentor, Ohio
- M. M. Schuster**, Hi-Shear Corp., Torrance, California
- E. Schwartz**, Defense Industrial Supply Center, Philadelphia, Pennsylvania
- R. Seppely**, Bendix Corp., South Bend, Indiana
- A. G. Strang**, Boyds, Maryland
- J. W. Turton**, The Bendix Corp., Greenfield, Massachusetts
- A. Zaveruha**, McMellon Brothers, Stratford, Connecticut

Intentionally left blank

CONTENTS

Foreword		iii
Standards Committee Roster		v
1 Introduction		1
1.1 General		1
1.2 References		1
1.3 Units of Measure		1
1.4 Classification		1
1.5 Federal Government Use		1
2 Basic Principles		1
2.1 Accuracy in Gaging		1
2.2 Limitations of Gaging		1
2.3 Determining Size of Gages		10
2.4 Standard Temperature		10
2.5 Rounding Procedures		10
2.6 Identification		10
3 General Practice		10
3.1 General Design		10
3.2 Types of Gages		11
3.3 Interpretation of Tolerances		11
3.4 Direction of Tolerances on Gages		11
3.5 Standard Thread Gage Tolerances		11
3.6 Tolerance on Lead		11
3.7 Tolerances on Half-Angle		11
3.8 Check of Effect of Lead and Flank Angle Variations on Product Thread		11
3.9 Calibration Requirements and Standards		12
3.10 Surveillance		12
4 Types of Gages for Product Internal Thread		12
4.1 GO Working Thread Plug Gages		12
4.2 NOT GO Thread Plug Gages		13
4.3 Full-Form GO Thread Plug Gage		16
4.4 Thread Snap Gages — GO Segments or Rolls		18
4.5 Thread Snap Gages — NOT GO Segments or Rolls		26
4.6 Thread Snap Gages — Minimum Material: Pitch Diameter Cone and Vee		26
4.7 Thread Snap Gages — Minimum Material: Thread-Groove Diameter Type		39
4.8 Thread-Setting Solid Ring Gages		39
4.9 Plain Plug, Snap, and Indicating Gages to Check Minor Diameter of Internal Thread		40
4.10 Snap and Indicating Gages to Check Major Diameter of Internal Thread		44
4.11 Functional Indicating Thread Gages for Internal Thread		44
4.12 Minimum-Material Indicating Thread Gages for Internal Thread		47

4.13	Indicating Runout Thread Gage for Internal Thread	47
4.14	Differential Gaging	51
4.15	Cumulative Form Gaging	53
4.16	Pitch Micrometers	53
4.17	Thread-Measuring Balls	53
4.18	Optical Comparator and Toolmaker's Microscope	53
4.19	Profile Tracing Instrument	56
4.20	Surface Roughness Equipment	56
4.21	Roundness Equipment	56
4.22	Miscellaneous Gages and Gaging Equipment	56
5	Types of Gages for Product External Thread	57
5.1	GO Working Thread Ring Gages	57
5.2	Adjustable NOT GO Thread Ring Gages	58
5.3	Thread Snap Gages — GO Segments or Rolls	59
5.4	Thread Snap Gages — NOT GO Segments or Rolls	60
5.5	Thread Snap Gages — Cone and Vee	63
5.6	Thread Snap Gages — Minimum Material: Thread-Groove Diameter Type	63
5.7	Plain Ring and Snap Gages to Check Major Diameter of Product External Threads	65
5.8	Snap Gages for Minor Diameter of Product External Threads	66
5.9	Functional Indicating Thread Gages for External Thread	66
5.10	Minimum-Material Indicating Thread Gages for External Thread	68
5.11	Indicating Runout Gage for External Thread	72
5.12	Differential Gaging	72
5.13	Cumulative Form Gaging	76
5.14	W Tolerance Thread-Setting Plug Gages	76
5.15	Plain Check Plug Gages for Thread Ring Gages	79
5.16	Indicating Plain Diameter Gages — Major Diameter of Product External Threads	80
5.17	Indicating Gages to Check Minor Diameter of External Thread	80
5.18	Thread Micrometers	80
5.19	Thread-Measuring Wires	80
5.20	Optical Comparator and Toolmaker's Microscope	83
5.21	Profile Tracing Instrument	83
5.22	Electromechanical Lead Tester	83
5.23	Helical Path Attachment Used With GO Type Thread Indicating Gage	94
5.24	Helical Path Analyzer	94
5.25	Surface Roughness Equipment	94
5.26	Roundness Equipment	94
5.27	Miscellaneous Gages and Gaging Equipment	95

Figures

1	Maximum-Material GO Functional Limit	13
2	Partial End Threads and Chip Grooves	14
3	NOT GO Functional Diameter Limit	15
4	MJ Full-Form Thread Plug Gage	16
5	Thread Snap Gages — Maximum-Material GO Functional Limit	19
6	Thread Snap Gages — NOT GO Functional Diameter Limit	27
7	Thread Snap Gages — Minimum-Material Pitch Diameter Limit — Cone and Vee	28
8	Thread Snap Gages — Minimum-Material Thread-Groove Diameter Limit	40
9	Thread Form of Solid Thread-Setting Ring Gages	41

10	Minor Diameter Limit	43
11	Indicating Plain Diameter Gages — Max.-Min. Minor Diameter Limit and Size	45
12	Snap and Indicating Diameter Gages — Max.-Min. Major Diameter Limit and Size	46
13	Indicating Thread Gages — Maximum-Material GO Functional Limit and Size	48
14	Indicating Thread Gages — Minimum-Material Pitch Diameter Limit and Size — Cone and Vee	49
15	Indicating Thread Gages — Minimum-Material Pitch Diameter Limit and Size — Ball and Radius	50
16	Indicating Thread Gages — Diameter Runout — Minor to Pitch Diameter	52
17A	Internal Imperfect Screw Thread	54
17B	Internal Perfect Screw Thread	55
18	Inside Micrometer, Caliper Type	56
19	Maximum-Material GO Functional Limit	57
20	NOT GO Functional Diameter Limit	59
21	Thread Snap Gages — Maximum-Material GO Functional Limit	61
22	Thread Snap Gages — NOT GO Functional Diameter Limit	62
23	Thread Snap Gages — Minimum-Material Pitch Diameter Limit — Cone and Vee	64
24	Thread Snap Gages — Minimum-Material Thread-Groove Diameter Limit	65
25	Major Diameter Limit	66
26	Minor Diameter Limit, Snap Type	67
27	Indicating Thread Gages — Maximum-Material GO Functional Diameter Limit and Size	69
28	Indicating Thread Gages — Minimum-Material Pitch Diameter Limit and Size — Cone and Vee	70
29	Indicating Thread Gages — Minimum-Material Thread-Groove Diameter Limit and Size	71
30	Indicating Thread Gages — Diameter Runout — Major to Pitch Diameter	73
31A	External Imperfect Screw Thread	74
31B	External Perfect Screw Thread	75
32	Thread Form of Truncated Thread-Setting Plug Gages	77
33	Thread Form of Full-Form Thread-Setting Plug Gages	78
34	Indicating Plain Diameter Gages — Max.-Min. Major Diameter Limit and Size	81
35	Indicating Diameter Gages — Max.-Min. Minor Diameter Limit and Size	82
36	Indicating Gages — Helical Path Attachment Used With GO Type Indicating Gage	94

Tables

1	Screw Thread Gages and Measuring Equipment for External Product Thread Characteristics	2
2	Screw Thread Gages and Measuring Equipment for Internal Product Thread Characteristics	6
3	Recommended Widths for Chip Grooves	14
4	Thread Data, MJ Full-Form Thread Gages	17
5	Gages for Standard Thread Series Metric MJ Screw Threads — Limits of Size	20
6	Setting Gages for Standard Series Metric MJ Screw Threads — Limits of Size	29

7	Specifications and Format for Table 5 — Limits of Size of Threaded and Plain Gages for Metric MJ External and Internal Threads	36
8	Specifications and Format for Table 6 — Limits of Size of Thread-Setting Gages for Metric MJ Thread-Working Gages	37
9	X Gage Tolerances for Thread Gages	38
10	W Gage Tolerances for Thread Gages	42
11	Gage Tolerances for Plain Cylindrical Gages	44
12	Constants for Computing Thread Gage Dimensions	84
13	Calibration Requirements and Standards for X Tolerance Thread Gages, Indicating Gages, Plain Gages, and Measuring Equipment for External Product Threads	85
14	Calibration Requirements and Standards for X Tolerance Thread Gages, Indicating Gages, Plain Gages, and Measuring Equipment for Internal Product Threads	90
15	Calibration Requirements for Thread- and Plain-Setting Gages	93

Appendices

A	Calibration and Inspection of Limit Gages, Snap Gages, Indicating Gages, and Measuring Instruments	97
A1	General	97
A2	Thread Plug Gage Calibration	97
A3	Thread Ring Gage Inspection	98
A4	Plain Plug Gage Calibration	100
A5	Plain Ring Gage Calibration	101
A6	Plain Snap Gages	101
A7	Rolls With Zero Lead Thread Form Used on Snap and Indicating Gages	101
A8	Inspecting Peripheral Contacting Segments on Indicating Gages	101
A9	Check for Magnification Discrepancies Due to Indicating System Linkage	103
A10	Calibration of Dial and Electronic Indicators	103
A11	Assessment of Surface Quality	103
B	Metrology of 60 deg. Screw Threads	105
B1	Wire Method of Measurement of Pitch Diameter (Thread-Groove Diameter)	105
B2	Size of Wires	105
B3	Methods of Measuring Wires Considering the Effect of Deformation	105
B4	Methods of Measurement Using Wires	108
B5	Standard Specification for Wires and Standard Practice in Measurement of Wires of 60 deg. Threads	108
B6	General Formula for Measurement of Pitch Diameter	109
B7	Simplified Formula for Pitch Diameter	109
B8	Setting Measuring Instruments With Variable Measuring Force	110
B9	Thread Balls	110
B10	Internal Pitch Diameter Measurement	110
C	Metric Tables for Gage Lengths	111
D	Customary Equivalents	113
E	Thread Diameter Adjustment Due to Temperature Variation	135
E1	Scope	135
E2	Thread Diameter Adjustment for Temperatures Above and Below Standard	135

Figure

B1 A Three-Wire Method of Measuring Pitch (Thread-Groove) Diameter of Thread Plug Gages 106

Tables

A1 Minimum Magnification 98

A2 60 deg. Included Thread Angle 99

B1 Metric Thread-Measuring Wires for 60 deg. Screw Threads 107

B2 Measuring Force for Over-Wire Measurements of External Pitch Diameter and Wire Calibration, and Cylindrical Diameter for Wire Calibration 107

B3 Measuring Force Over Balls for Internal Pitch Diameter Measurement and Ball Calibration 110

C1 Metric Lengths of AGD Thread Ring Gage Blanks and Total Thread Lengths of Standard Truncated Setting Plug Gage Blanks (SI) Selected From ANSI/ASME B47.1aM 111

C2 Metric Lengths of Taperlock and Trilock Thread Plug Gage Blanks (SI) Selected From ANSI/ASME B47.1aM 112

D1 Thread Data, MJ Thread Gages (Customary) 114

D2 X Gage Tolerances for Thread Gages (Customary) 115

D3 W Gage Tolerances for Thread Gages (Customary) 116

D4 Gage Tolerances for Plain Cylindrical Gages (Customary) 117

D5 Lengths of Taperlock and Trilock Thread Plug Gage Blanks Selected From ANSI/ASME B47.1aM (Customary) 118

D6 Lengths of Thread Ring Gage Blanks and Total Thread Lengths of Standard Truncated Setting Plug Gage Blanks Selected From ANSI/ASME B47.1aM (Customary) 119

D7 Setting Gages for Standard Series Metric MJ Screw Threads — Limits of Size (Customary) 120

D8 Gages for Standard Thread Series Metric MJ Screw Threads — Limits of Size (Customary) 127

D9 Metric Thread-Measuring Wires for 60 deg. Screw Threads (Customary) 133

Intentionally left blank

AN AMERICAN NATIONAL STANDARD
GAGES AND GAGING FOR MJ SERIES METRIC SCREW THREADS

1 INTRODUCTION

1.1 General

This Standard provides essential specifications and dimensions for the gages used on MJ series metric screw threads, and covers the specifications and dimensions for the thread gages and measuring equipment listed in Tables 1 and 2. The basic purpose and use of each gage are also described.

For easy reference, customary conversion of metric tables has been incorporated in Appendix D. The Appendices contain useful information that is supplementary to the sections of this Standard.

1.2 References

The latest editions of the following documents form a part of this Standard to the extent specified herein.

American National Standards

ANSI/ASME B1.2

Gages and Gaging for Unified Inch Screw Threads

ANSI/ASME B1.3M

Screw Thread Gaging Systems for Dimensional Acceptability — Inch and Metric Screw Threads (UN, UNR, UNJ, M, and MJ)

ANSI/ASME B1.7M

Nomenclature, Definitions, and Letter Symbols for Screw Threads

ANSI/ASME B1.16M

Gages and Gaging for Metric M Screw Threads

ANSI/ASME B1.21M

Metric Screw Threads — MJ Profile

ANSI/ASME B46.1

Surface Texture (Surface Roughness, Waviness, and Lay)

ANSI/ASME B47.1aM

Gage Blanks (Metric Translation of ANSI B47.1)

ANSI/ASME B89.1.6M

Measurement of Qualified Plain Internal Diameters for Use as Master Rings and Ring Gages

ANSI/ASME B89.1.9M

Precision Inch Gage Blocks for Length Measurement (Through 20 Inches and 500 mm)

ANSI/ASME B89.3.1

Measurement of Out-of-Roundness

International Standard

ISO 1502

General Purpose Metric Screw Threads — Gaging

1.3 Units of Measure

All dimensions in this Standard, including tables, are expressed in millimeters (mm) unless otherwise specified.

1.4 Classification

In this Standard the term NOT GO, previously known as Mn/Mt (for Maximum Material), is used to identify functional diameter thread gages.

1.5 Federal Government Use

When this Standard is approved by the Department of Defense and federal agencies and is incorporated into FED-STD-H28/22, Screw Thread Standard for Federal Services, Section 22, the use of this Standard by the federal government will be subject to all requirements and limitations of FED-STD-H28/22.

2 BASIC PRINCIPLES

2.1 Accuracy in Gaging

Thread plug gages are controlled by direct measuring methods. Thread ring gages, thread snap limit gages, and indicating thread gages are controlled by reference to the appropriate setting gages and/or direct measuring methods.

2.2 Limitations of Gaging

2.2.1 Product threads accepted by a gage of one type may be verified by other types. It is possible, however, that parts which are near a limit may be accepted by one type and rejected by another. Also, it is possible for two individual limit gages of the same type to be at